

**VERONICA**  
CERAMIC

**FULL BODY**  
VITRIFIED  
TILES



2024  
COLLECTION

# SURFACE OF AN EYEFUL IMPESSION

Available Thickness

 9MM



PRESENTING THE **FULL BODY**

SURFACE  
**POLISHED | RUSTIC | SATIN**

# WE ARE SETTING A TREND IN THE CERAMICS SECTOR, BY PRODUCING **HIGH-QUALITY TILES**

We are showcasing the best quality of rustic finish, satin finish and polished finish with the different fabulous colors shades that's make your décor mesmerizing.

Choose our satin finish tiles to give your home a completely flawless appearance if you want to add an unexpected element to any space.

Our Rustic tiles are ornamental glaze tiles that are used to give any room a rustic feel and an attractive appearance without compromising the shiny feature.

**VERONICA**  
CERAMIC




# VERONICA

CERAMIC




**ROCK WHITE**

Satin




**DYNAMIC WHITE**

Polished



**MAJESTIC WHITE**

Rustic





**VERONICA**  
CERAMIC



Satin

**ROCK CREAMA**



Polished

**DYNAMIC CREAMA**



Rustic


**MAJESTIC CREAMA**



600X  
1200MM

9 MM  
THICKNESS

**FULL BODY**  
vitrified tiles



# VERONICA

CERAMIC



Satin

ROCK DOVE




Polished

DYNAMIC DOVE



Rustic

MAJESTIC DOVE









# VERONICA

CERAMIC




**ROCK NERO**

Satin




**DYNAMIC NERO**

Polished




**MAJESTIC NERO**

Rustic




600X  
1200MM



9 MM  
THICKNESS



**FULL BODY**  
vitrified tiles






# VERONICA

CERAMIC




Satin

ROCK ALMOND




Polished

DYNAMIC ALMOND



Rustic

MAJESTIC ALMOND






# VERONICA

CERAMIC




Satin

ROCK BLACK




Polished

DYNAMIC BLACK



Rustic

MAJESTIC BLACK



 **FULL BODY**  
vitrified tiles




**VERONICA**  
CERAMIC




Satin

**ROYAL KOTA**




Polished

**DYNAMIC KOTA**



Rustic

**MAJESTIC KOTA**









# VERONICA

CERAMIC



Satin

ROYAL CREAM




Polished

DYNAMIC CREAM



Rustic

MAJESTIC CREAM





# VERONICA

CERAMIC




Satin

ROYAL IRIS




Polished

DYNAMIC IRIS



Rustic

MAJESTIC IRIS





**VERONICA**  
CERAMIC




Satin

**ROYAL STEEL GREY**





Polished

**DYNAMIC STEEL GREY**



Rustic

**MAJESTIC STEEL GREY**






# VERONICA

CERAMIC




ROCK QUARTZ

Satin



DYNAMIC QUARTZ

Polished



MAJESTIC QUARTZ

Rustic



600X  
1200MM

9 MM  
THICKNESS



**FULL BODY**  
vitrified tiles





# VERONICA

CERAMIC




**ROYAL JET BLACK**

Satin





**DYNAMIC JET BLACK**

Polished



**MAJESTIC JET BLACK**

Rustic





**VERONICA**  
CERAMIC




Satin

**ROYAL SUPER WHITE**



Polished

**DYNAMIC SUPER WHITE**



600X  
1200MM

9 MM  
THICKNESS



**FULL BODY**  
vitrified tiles



# TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER ISO-13006 / EN14411 GROUP BIA	VALUE OF VERONICA	TEST METHOD
<b>REGULATORY PROPERTIES</b>				
01	Deviation in length & width	± 0.50%	± 0.20%	ISO-10545-2
02	Deviation in thickness	± 5.00%	± 4.00%	ISO-10545-2
03	Straightness of sides	± 0.50%	± 0.10%	ISO-10545-2
04	Rectangularity	± 0.50%	± 0.20%	ISO-10545-2
05	Surface flatness	± 0.50%	± 0.20%	ISO-10545-2
06	Colour difference	Unaltered	No Change	ISO-10545-16
<b>STRUCTURAL PROPERTIES</b>				
01	Water Absorption	< 0.50%	< 0.50 %	ISO-10545-3
02	Apparent density	> 2.00 g/cc	> 2.28 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>				
01	Modulus or rupture	Min. 35 N/mm <sup>2</sup>	Min. 45 N/mm <sup>2</sup>	ISO-10545-4
02	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
03	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>				
01	Deep abrasion resistance	Max. 175mm <sup>3</sup>	Max. 132mm <sup>3</sup>	ISO-10545-6
02	Moh's hardness	Min. 6	7	EN 101
03	Surface Abrasion Resistance	As per mfg.	N. A.	ISO-10545-7

**THERMOHYDROMETRIC PROPERTIES**

01	Frost resistance	No Damage	Frost proof	ISO-10545-12
02	Thermal shock resistance	No Damage	No Damage	ISO-10545-9
03	Moisture expansion	Nil	Nil	ISO-10545-10
04	Thermal Expansion(COE)	Max. $9.0 \times 10^{-6}$	Max. $6.5 \times 10^{-6}$	ISO-10545-8
04	Crazing Resistance	As Per Mfg.	N.A.	ISO-10545-11

**CHEMICAL PROPERTIES**

01	Chemical resistance	No Damage	No Damage	ISO-10545-13
02	Satin resistance	Resistance	Resistance	ISO-10545-14

**SAFETY PROPERTIES**

01	Slip resistance (friction co efficient)	> 0.40	> 0.40	ISO-10545-17
----	---	--------	--------	--------------

**PACKING  
DETAILS**

SIZE	PCS./BOX	WEIGHT / BOX			AREA / BOX
		POLISHED	SATIN	RUSTIC	
600x600mm	4 Pcs.	26.5 Kg.	28.5 Kg.	28.5 Kg.	1.44 Sq. Mtr.
600x900mm	2 Pcs.	-	24.5 Kg.	-	1.08 Sq. Mtr.
600x1200mm	2 Pcs.	28.5 Kg.	30 Kg.	30 Kg.	1.44 Sq. Mtr.
600x600mm (16MM)	2 Pcs.	-	25 Kg.	25 Kg.	1.44 Sq. Mtr.

**Note :** Certain amount of size and shade variation is inherent in all ceramic products. Our conformity to the above fast is applicable only for quality. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company does not accect responsibility once the tiles are laid.

**VERONICA**  
CERAMIC

[www.veronicaceramic.com](http://www.veronicaceramic.com)