

VERONICA
CERAMIC

FULL BODY
VITRIFIED
TILES




2024
COLLECTION

SURFACE OF AN EYEFUL IMPESSION

Available Thickness

 9MM



PRESENTING THE **FULL BODY**


SURFACE
POLISHED | RUSTIC | SATIN

WE ARE SETTING A TREND IN THE CERAMICS SECTOR, BY PRODUCING **HIGH-QUALITY TILES**

We are showcasing the best quality of rustic finish, satin finish and polished finish with the different fabulous colors shades that's make your décor mesmerizing.


Choose our satin finish tiles to give your home a completely flawless appearance if you want to add an unexpected element to any space.

Our Rustic tiles are ornamental glaze tiles that are used to give any room a rustic feel and an attractive appearance without compromising the shiny feature.




VERONICA

CERAMIC




Satin

ROCK WHITE



Polished

DYNAMIC WHITE



Rustic

MAJESTIC WHITE



600X
1200MM


9 MM
THICKNESS

FULL BODY
vitrified tiles



VERONICA

CERAMIC



Satin

ROCK CREAMA



Polished

DYNAMIC CREAMA



Rustic

MAJESTIC CREAMA



600X
1200MM


9 MM
THICKNESS

FULL BODY
vitrified tiles




VERONICA

CERAMIC



Satin

ROCK DOVE




Polished

DYNAMIC DOVE



Rustic

MAJESTIC DOVE




FULL BODY
vitrified tiles




VERONICA

CERAMIC



ROCK NERO

Satin




DYNAMIC NERO

Polished



MAJESTIC NERO

Rustic




FULL BODY
vitrified tiles



VERONICA

CERAMIC



Satin

ROCK ALMOND




Polished

DYNAMIC ALMOND



Rustic

MAJESTIC ALMOND




 **FULL BODY**
vitrified tiles




VERONICA

CERAMIC



Satin

ROCK BLACK




Polished

DYNAMIC BLACK



Rustic

MAJESTIC BLACK




FULL BODY
vitrified tiles




VERONICA

CERAMIC




Satin

ROYAL KOTA





Polished

DYNAMIC KOTA



Rustic

MAJESTIC KOTA






VERONICA
CERAMIC



Satin

ROCK KOTA




600X
1200MM

9 MM
THICKNESS

FULL BODY
vitrified tiles

VERONICA

CERAMIC



Satin

ROYAL CREAM



Polished

DYNAMIC CREAM



Rustic

MAJESTIC CREAM



600X
1200MM

9 MM
THICKNESS

FULL BODY
vitrified tiles



VERONICA

CERAMIC



Satin

ROYAL IRIS




Polished

DYNAMIC IRIS



Rustic


MAJESTIC IRIS






VERONICA

CERAMIC




Satin

ROYAL STEEL GREY




Polished

DYNAMIC STEEL GREY



Rustic


MAJESTIC STEEL GREY






VERONICA

CERAMIC




ROCK QUARTZ

Satin



DYNAMIC QUARTZ

Polished



MAJESTIC QUARTZ

Rustic



600X
1200MM

9 MM
THICKNESS

FULL BODY
vitrified tiles



VERONICA
CERAMIC



ROYAL JET BLACK

Satin





DYNAMIC JET BLACK

Polished



MAJESTIC JET BLACK

Rustic



 **FULL BODY**
vitrified tiles



VERONICA

CERAMIC




Satin

ROYAL SUPER WHITE



Polished

DYNAMIC SUPER WHITE




600X
1200MM

9 MM
THICKNESS



FULL BODY
vitrified tiles






ROCK MIST

Satin

VERONICA

CERAMIC



FULL BODY
vitrified tiles



ROCK PEACH

Satin



600X
1200MM

9 MM
THICKNESS



FULL BODY
vitrified tiles

TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER ISO-13006 / EN14411 GROUP BIA	VALUE	TEST METHOD
REGULATORY PROPERTIES				
01	Deviation in length & width	± 0.50%	± 0.20%	ISO-10545-2
02	Deviation in thickness	± 5.00%	± 4.00%	ISO-10545-2
03	Straightness of sides	± 0.50%	± 0.10%	ISO-10545-2
04	Rectangularity	± 0.50%	± 0.20%	ISO-10545-2
05	Surface flatness	± 0.50%	± 0.20%	ISO-10545-2
06	Colour difference	Unaltered	No Change	ISO-10545-16
STRUCTURAL PROPERTIES				
01	Water Absorption	< 0.50%	< 0.50 %	ISO-10545-3
02	Apparent density	> 2.00 g/cc	> 2.28 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
01	Modulus or rupture	Min. 35 N/mm ²	Min. 45 N/mm ²	ISO-10545-4
02	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
03	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
01	Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO-10545-6
02	Moh's hardness	Min. 6	7	EN 101
03	Surface Abrasion Resistance	As per mfg.	N. A.	ISO-10545-7

THERMOHYDROMETRIC PROPERTIES

01	Frost resistance	No Damage	Frost proof	ISO-10545-12
02	Thermal shock resistance	No Damage	No Damage	ISO-10545-9
03	Moisture expansion	Nil	Nil	ISO-10545-10
04	Thermal Expansion(COE)	Max. 9.0×10^{-6}	Max. 6.5×10^{-6}	ISO-10545-8
04	Crazing Resistance	As Per Mfg.	N.A.	ISO-10545-11

CHEMICAL PROPERTIES

01	Chemical resistance	No Damage	No Damage	ISO-10545-13
02	Satin resistance	Resistance	Resistance	ISO-10545-14

SAFETY PROPERTIES

01	Slip resistance (friction co efficient)	> 0.40	> 0.40	ISO-10545-17
----	---	--------	--------	--------------

**PACKING
DETAILS**

SIZE	PCS./BOX	WEIGHT / BOX			AREA / BOX
		POLISHED	SATIN	RUSTIC	
600x600mm	4 Pcs.	26.5 Kg.	28.5 Kg.	28.5 Kg.	1.44 Sq. Mtr.
600x900mm	2 Pcs.	-	24.5 Kg.	-	1.08 Sq. Mtr.
600x1200mm	2 Pcs.	28.5 Kg.	30 Kg.	30 Kg.	1.44 Sq. Mtr.
600x600mm (16MM)	2 Pcs.	-	25 Kg.	25 Kg.	1.44 Sq. Mtr.

Note : Certain amount of size and shade variation is inherent in all ceramic products. Our conformity to the above fast is applicable only for quality. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company does not accect responsibility once the tiles are laid.

VERONICA
CERAMIC

www.veronicaceramic.com

VERONICA
CERAMIC

FULL BODY
VITRIFIED
TILES



2024
COLLECTION


EXPLORE
THE UNEXPLORED


VERONICA
CERAMIC



SURFACE OF AN EYEFUL IMPRESSION

Available Thickness

 9MM



600X
1200MM

PRESENTING THE **FULL BODY**


SURFACE
RUSTIC

WE ARE SETTING A TREND IN THE CERAMICS SECTOR, BY PRODUCING **HIGH-QUALITY TILES**

We are showcasing the best quality of rustic finish, satin finish and polished finish with the different fabulous colors shades that's make your décor mesmerizing.


Choose our satin finish tiles to give your home a completely flawless appearance if you want to add an unexpected element to any space.

Our Rustic tiles are ornamental glaze tiles that are used to give any room a rustic feel and an attractive appearance without compromising the shiny feature.





MONOLINE WHITE
RUSTIC





MONOLINE BLACK

RUSTIC

 **FULL BODY**
vitrified tiles





MONOLINE KOTA
RUSTIC





MONOLINE CREAM


RUSTIC

 **FULL BODY**
vitrified tiles





MONOLINE IRIS
RUSTIC





MONOLINE STEEL GREY

RUSTIC

 **FULL BODY**
vitrified tiles







MONOLINE ALMOND
RUSTIC




MONOLINE CREAMA

RUSTIC





MONOLINE DOVE
RUSTIC



MONOLINE NERO



RUSTIC

 **FULL BODY**
vitrified tiles




VERONICA

CERAMIC




MONOLINE SUPER WHITE
RUSTIC



MONOLINE JET BLACK

RUSTIC




MONOLINE QUARTZ
RUSTIC

VERONICA

CERAMIC




PLUTO WHITE
RUSTIC



PLUTO BLACK

RUSTIC






PLUTO KOTA
RUSTIC





PLUTO CREAM

RUSTIC



VERONICA

CERAMIC




PLUTO IRIS
RUSTIC




PLUTO STEEL GREY

RUSTIC







PLUTO ALMOND
RUSTIC



PLUTO CREAMA

RUSTIC





PLUTO DOVE
RUSTIC



PLUTO NERO

RUSTIC

VERONICA


CERAMIC



PLUTO SUPER WHITE
RUSTIC

PLUTO

VERONICA
CERAMIC



PLUTO JET BLACK

RUSTIC

 **FULL BODY**
vitrified tiles



VERONICA

CERAMIC



PLUTO QUARTZ
RUSTIC

 **FULL BODY**
vitrified tiles

TECHNICAL SPECIFICATION

Sr. No.	CHARACTERISTICS	STANDARD AS PER ISO-13006 / EN14411 GROUP BIA	COMPANY VALUE	TEST METHOD
REGULATORY PROPERTIES				
01	Deviation in length & width	± 0.50%	± 0.20%	ISO-10545-2
02	Deviation in thickness	± 5.00%	± 4.00%	ISO-10545-2
03	Straightness of sides	± 0.50%	± 0.10%	ISO-10545-2
04	Rectangularity	± 0.50%	± 0.20%	ISO-10545-2
05	Surface flatness	± 0.50%	± 0.20%	ISO-10545-2
06	Colour difference	Unaltered	No Change	ISO-10545-16
STRUCTURAL PROPERTIES				
01	Water Absorption	< 0.50%	< 0.50 %	ISO-10545-3
02	Apparent density	> 2.00 g/cc	> 2.28 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
01	Modulus or rupture	Min. 35 N/mm ²	Min. 45 N/mm ²	ISO-10545-4
02	Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
03	Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
01	Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO-10545-6
02	Moh's hardness	Min. 6	7	EN 101
03	Surface Abrasion Resistance	As per mfg.	N. A.	ISO-10545-7

THERMOHYDROMETRIC PROPERTIES

01	Frost resistance	No Damage	Frost proof	ISO-10545-12
02	Thermal shock resistance	No Damage	No Damage	ISO-10545-9
03	Moisture expansion	Nil	Nil	ISO-10545-10
04	Thermal Expansion(COE)	Max. 9.0×10^{-6}	Max. 6.5×10^{-6}	ISO-10545-8
04	Crazing Resistance	As Per Mfg.	N.A.	ISO-10545-11

CHEMICAL PROPERTIES

01	Chemical resistance	No Damage	No Damage	ISO-10545-13
02	Satin resistance	Resistance	Resistance	ISO-10545-14

SAFETY PROPERTIES

01	Slip resistance (friction co efficient)	> 0.40	> 0.40	ISO-10545-17
----	---	--------	--------	--------------

PACKING DETAILS

SIZE	PCS./BOX	WEIGHT / BOX	AREA / BOX
600x1200mm	2 Pcs.	30 Kg.	1.44 Sq. Mtr.

Note: Certain amount of size and shade variation is inherent in all ceramic products. Our conformity to the above fast is applicable only for quality. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company does not accect responsibility once the tiles are laid.

VERONICA
CERAMIC

www.veronicaceramic.com